

# Non-automotive specification list - Zinc flake systems

OEM / Supplier	Industrial sector	Specification	Application	Dörken MKS Basecoat	Dörken MKS Topcoat	White Corrosion resistance (NSS)	Red Corrosion resistance (NSS)
Alstom Wind	Wind	DTRF 150611	Steel parts	DELTA-PROTEKT® KL 105			1550h
		DTRF 150611	Steel parts	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 315		
		DTRF 150611	Steel parts	DELTA-PROTEKT® KL 120			1550h
Arvin Meritor	Truck & Transport	P104-A		DELTA-PROTEKT® KL 100			600h
		P104-B		DELTA-PROTEKT® KL 100			1000h
		P104-C		DELTA-PROTEKT® KL 100	DELTA®-LUBE 10		1000h
		P104-D		DELTA-PROTEKT® KL 100	DELTA®-SEAL SILBER / DELTA®-SEAL SCHWARZ		600h
		P104-E		DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ		600h

# Non-automotive specification list - Zinc flake systems

		<b>P104-F</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 300		600h
		<b>P104-G</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		600h
		<b>P104-H</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 302 GZ		600h
		<b>P104-J</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 315		600h
		<b>P104-K</b>	Complex work pieces and smallest components	DELTA-PROTEKT® KL 100	DELTA-eLACK® 800		600h
		<b>P104-L</b>		DELTA-PROTEKT® KL 100	DELTA®-SEAL RZ FARBLOS / DELTA®- SEAL RZ SCHWARZ		600h
		<b>P104-M</b>		DELTA-PROTEKT® KL 100	DELTA®-SEAL VL 450		600h
		<b>P-105</b>		DELTA-PROTEKT® KL 101	DELTA-PROTEKT® VH 301 GZ		720h
<b>Bombardier</b>	<b>Railway</b>	<b>RON 444</b>	Fasteners >M6	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301		720h

# Non-automotive specification list - Zinc flake systems

<b>Case New Holland</b>	<b>Construction</b>	<b>MAT0320 (Type 1A)</b>	Fasteners >M6	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILBER	240	720h
		<b>MAT0320 (Type 3A)</b>	Fasteners >M6	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH301 GZ/ VH302 GZ	240	720h
		<b>MAT0320 (Type 4A)</b>	Fasteners > M6	DELTA-PROTEKT® KL 105		240	720h
<b>Caterpillar</b>	<b>Construction</b>	<b>1E1675</b>	Bolt, Nut, Washer	DELTA®-TONE 9000 SILBER / DELTA-PROTEKT® KL 100	DELTA® SEAL GZ SILBER		720h
			Bolt, Nut, Washer	DELTA-PROTEKT® KL 105			720h
<b>DAF</b>	<b>Truck &amp; Transport</b>	<b>W+O **493</b>		DELTA-PROTEKT® KL 100			360h
<b>Daimler</b>	<b>Truck &amp; Transport</b>	<b>DBL 9440 (.40)</b>	Fasteners < M6	DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 301.1 GZ	120h	720h
		<b>DBL 9440 (.40)</b>	Fasteners > M6	DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 301.1 GZ		720h
		<b>DBL 9440 (.43)</b>		DELTA-PROTEKT® KL 120	DELTA-LUBE® 10		720h

# Non-automotive specification list - Zinc flake systems

		<b>DBL 9440 (.50)</b>	Fasteners < M6	DELTA-PROTEKT® KL 120	DELTA-SEAL® GZ SCHWARZ	120h	720h
		<b>DBL 9440 (.50)</b>	Fasteners > M6	DELTA-PROTEKT® KL 120	DELTA-SEAL® GZ SCHWARZ	240h	480h
		<b>DBL 9440 (.89)</b>	Fasteners > M14	DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 301.1 GZ		720h
<b>Deutz</b>	<b>Agriculture</b>	<b>LV01610144 (A)</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		240h
		<b>LV01610144 (B)</b>	Fasteners < M6+A28:N28	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		480h
		<b>LV01610144 (C)</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		720h
<b>Gamesa Eólica</b>	<b>Wind</b>	<b>GPR91001</b>	Steel fasteners, preferably of class 8.8 or 10.9	DELTA-PROTEKT® KL 100 / DELTA-PROTEKT® KL 120			1000h
		<b>GPR91001</b>	Steel fasteners, preferably of class 8.8 or 10.9	DELTA-PROTEKT® KL 105			1000h
<b>General Electric</b>	<b>Wind</b>	<b>E00C12200 (B)</b>		DELTA-PROTEKT® KL 105			1000h
		<b>E00C12200 (A)</b>		DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 302 GZ		3000h

# Non-automotive specification list - Zinc flake systems

<b>JCB</b>	<b>Agriculture, Construction</b>	<b>STD00017 (Type 1)</b>		DELTA-PROTEKT® KL 100 / DELTA- PROTEKT® KL 105	DELTA-PROTEKT® VH 302 GZ	240h	720h
		<b>STD00017 (Type 9)</b>	Thread-forming fasteners	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SCHWARZ	240h	720h
		<b>STD00017 (Type 9P)</b>	Thread-forming fasteners	DELTA-PROTEKT® KL 100	DELTA®-SEAL SCHWARZ	240h	720h
<b>John Deere</b>	<b>Construction</b>	<b>JDM F13A</b>	Non-threaded part	DELTA-PROTEKT® KL 100	DELTA®-SEAL Series (A2 = BLACK)		960h
		<b>JDM F13B</b>	Threaded fasteners (M6-M18)	DELTA-PROTEKT® KL 100	DELTA®-SEAL SILVER (B2 = BLACK)		960h
		<b>JDM F13C</b>	Threaded fasteners (>M20)	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILVER (C2 = BLACK)		960h
		<b>JDM F13D</b>	Non-threaded part	DELTA-PROTEKT® KL 100	DELTA®-SEAL Series (D2 = BLACK)	240h	480h
		<b>JDM F13E</b>	Threaded fasteners (M6-M18)	DELTA-PROTEKT® KL 100	DELTA®-SEAL SILVER (E2 = BLACK)	240h	480h
		<b>JDM F13F</b>	Threaded fasteners (>M20)	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILVER (F2 = BLACK)	240h	480h
		<b>JDM F13G</b>	Non-threaded part	DELTA-PROTEKT® KL 100	DELTA®-SEAL Series (G2 = BLACK)		240h

# Non-automotive specification list - Zinc flake systems

		<b>JDM F13H</b>	Threaded fasteners (M6-M18)	DELTA-PROTEKT® KL 100	DELTA®-SEAL SILVER (H2 = BLACK)		240h
		<b>JDM F13J</b>	Threaded fasteners (>M20)	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILVER (J2 = BLACK)		240h
<b>Kässbohrer</b>	<b>Construction</b>	<b>KGN 202.20</b>		DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SCHWARZ		720h
		<b>KGN 202.20</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ / DELTA-PROTEKT® VH 301.1 GZ		720h
<b>Kenersys</b>	<b>Wind</b>	<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA®-TONE 9000 SILBER	DELTA®-SEAL SILBER		1200h
		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA®-TONE 9000 SILBER	DELTA®-SEAL GZ SILBER		1200h
		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA-PROTEKT® KL 100	DELTA-PROEKT® VH 300		1200h
		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA-PROTEKT® KL 100	DELTA-PROEKT® VH 301 GZ		1200h
		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA-PROTEKT® KL 101	DELTA-PROEKT® VH 300		1200h
		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA-PROTEKT® KL 101	DELTA-PROEKT® VH 301 GZ		1200h

# Non-automotive specification list - Zinc flake systems

		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA-PROTEKT® KL 105	DELTA-PROEKT® VH 300		1200h
		<b>KSY_SPC_bolt</b>	Bolt, Studs, Nuts and Washers (>M24)	DELTA-PROTEKT® KL 105	DELTA-PROEKT® VH 301 GZ		1200h
<b>Kion (Linde)</b>	<b>Agriculture, Construction</b>	<b>WN 10616 Teil 2</b>		DELTA-PROTEKT® KL 105			480h
		<b>WN 10616 Teil 2</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 302 GZ		480h
<b>Knorr-Bremse</b>	<b>Railway</b>	<b>N12005 - P13</b>		DELTA-PROTEKT® KL 100 / DELTA-PROTEKT® KL 120			480h
		<b>N12005 - P18</b>		DELTA®-TONE 9000 SILBER			480h
<b>Krone</b>	<b>Truck &amp; Transport</b>	<b>KWN 01 200</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 302 GZ		960h
<b>Liebherr</b>	<b>Construction</b>	<b>10021432</b>		DELTA-PROTEKT® KL 105			480h
		<b>10021432</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		480h
		<b>10021432</b>		DELTA-PROTEKT® KL 105			720h

# Non-automotive specification list - Zinc flake systems

		<b>10021432</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		720h
<b>Navistar</b>	<b>Truck &amp; Transport</b>	<b>TMS-4518 (Type 1)</b>	>M6   clips & external threads	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILBER	240h	840h
		<b>TMS-4518 (Type 2)</b>	>M6   clips & external threads	DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILBER	240h	480h
<b>Renault Trucks</b>	<b>Truck &amp; Transport</b>	<b>01-71-4002 / I</b>	Non fastener parts	DELTA-PROTEKT® KL 105 / DELTA-PROTEKT® KL 100	DELTA®-SEAL SILBER / DELTA®-SEAL SCHWARZ	200h	600h
		<b>01-71-4002 / I</b>	Standard fasteners	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 315	200h	600h
<b>SAF HOLLAND</b>	<b>Truck &amp; Transport</b>	<b>Technical Specification</b>		DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SCHWARZ		480h
		<b>Technical Specification</b>		DELTA-PROTEKT® KL 100	DELTA-LUBE® 10 GRÜN		480h
		<b>Technical Specification</b>		DELTA-PROTEKT® KL 100	DELTA-LUBE® BLAU		480h
		<b>Technical Specification</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 302 GZ		480h
		<b>Technical Specification</b>		DELTA-PROTEKT® KL 105			480h



# Non-automotive specification list - Zinc flake systems

<b>Scania</b>	<b>Truck &amp; Transport</b>	<b>STD 4165 (B3)</b>		DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 301.1 GZ		
		<b>STD 4165 (C3, D3)</b>		DELTA-PROTEKT® KL 100	DELTA®-SEAL GZ SILBER / DELTA- PROTEKT® VH 301 GZ / DELTA- PROTEKT® VH 300		
<b>Siemens</b>	<b>Railway</b>	<b>A6Z00040590559</b>	Screws and parts with thread < M16	DELTA-PROTEKT® KL 100 \\ DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 301 GZ		480h
		<b>A6Z00040590559</b>	Screws and parts with thread > M20	DELTA-PROTEKT® KL 100 \\ DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 301 GZ		720h
		<b>A6Z00040590559</b>	Parts without thread	DELTA-PROTEKT® KL 100 \\ DELTA-PROTEKT® KL 120	DELTA-PROTEKT® VH 300		
<b>Stihl</b>	<b>Construction, Agriculture</b>	<b>SWN 33011-01 (R16)</b>		DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		720h
		<b>SWN 33011-01 (R8)</b>		DELTA®-TONE 9000 SILBER	DELTA®-SEAL		500h
		<b>SWN 33011-01 ((R9)</b>		DELTA®-TONE 9000 SILBER	DELTA®-SEAL		600h
<b>Würth</b>	<b>Truck &amp; Transport</b>	<b>WIS-LV-003</b>	M4 + M5	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		240h
		<b>WIS-LV-003</b>	> M6	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		480h

# Non-automotive specification list - Zinc flake systems

		<b>WIS-LV-003</b>	> M10	DELTA-PROTEKT® KL 100	DELTA-PROTEKT® VH 301 GZ		720h
--	--	-------------------	-------	--------------------------	-----------------------------	--	------